

## 8200 Lever Lock Line



### The Strongest Lock on the Block

When it comes to strength and durability, SARGENT continues to set standards with the 8200 Mortise lock. The 8200 far surpasses ANSI/BHMA A156.13 Series 1000 Grade 1 standards, making it the strongest and most durable mortise lock in the industry. SARGENT Mortise Locks are designed and constructed with high quality components to provide maximum security, performance and durability.

### Maximum Flexibility

- Aesthetic design. Many escutcheon and lever styles available to match a wide range of styles
- available with push/pull trim, perfect for hospital applications

### Strength & Security

- Far Exceeds ANSI/BHMA A156.13 Series 1000 Grade 1 and Security Grade 1. Meets various higher security detention standards such as ASTM impact for latchbolt (Level 1) and deadbolt (Level 3) components
- Exceeds cycle testing requirements by 14 times the ANSI/BHMA A156.13 Grade 1 Standard
- Heavy duty wrought steel hubs and high carbon steel spring cartridge provide superior strength and cycle life
- Latchbolt is stainless steel with 3/4" projection one piece anti-friction reversible latch
- Through-bolted lever trim for increased security
- Torx<sup>®</sup> and spanner screws
- Security key systems available (Signature, Keso, KesoF1, and XC)

### Certification Compliance

- ANSI/BHMA certified
- Meets A117.1 Accessibility Code
- UL and UL listed to Canadian safety standards

**Note:** Any retrofit or other field modification to a fire rated opening can potentially impact the fire rating of the opening, and Sargent Manufacturing Company makes no representations or warranties concerning what such impact may be in any specific situation. When retrofitting any portion of an existing fire rated opening, or specifying and installing a new fire-rated opening, please consult with a code specialist or local code official (Authority Having Jurisdiction) to ensure compliance with all applicable codes and ratings.

- Meets positive pressure requirements UL 10C and UBC 7-2 (1997)
- California State Reference Code

### Multi-Functionality

- Complete line of lockbodies offering 58 functions, 4 electrical functions
- 9 functions accomplished with one lockbody
- Functions easily changed without opening the lockcase
- Versatile. Offered for door thickness ranging from 1-3/5" (35mm) to 6" (152mm)

### Easy to Install

- Easy operation. Only 30° of lever rotation required to retract latchbolt
- Lever springs contained inside of the lock case
- Pre-assembled components make installation fool-proof Installation time — reduced by up to 40%
- Lock is easily re-handed without removing parts or opening case

## 8200 Lever Lock Line Components

### Trim



L Lever



LN Rose

### Finishes



**03:** Bright Brass, Clear Coated (BHMA 605)



**04:** Satin Brass, Clear Coated (BHMA 606)



**09:** Bright Bronze, Clear Coated (BHMA 611)



**10:** Satin Bronze, Clear Coated (BHMA 612)



**10B:** Dark Oxidized Satin Bronze, Oil Rubbed (BHMA 613)



**10BL:** Dark Oxidized Satin Bronze Clear Coated



**14:** Bright Nickel Plated (BHMA 618)



**15:** Dull Nickel Plated Clear Coated (BHMA 619)



**20D:** Dark Statuary Bronze Lacquered



**26:** Bright Chrome Plated (BHMA 625)



**26D:** Satin Chrome Plated (BHMA 626)




**32:** Bright Stainless Steel (BHMA 629)




**32D:** Satin Stainless Steel (BHMA 630)


### Functions



**04:** Storeroom or Closet (F07)




**05:** Office or Entry (F04)




**06:** Storeroom or Service




**31:** Utility




**36:** Closet




**37:**Classroom (F05)




**55:**Office or Entry




**56:**Office & Inner Entry Lock



**67:**Institutional Privacy (F26)




**89:**Holdback



**91:**All Purpose Holdback



**24:**Storeroom Door (F21)




**25:**Dormitory or Exit (F13)




**27:**Closet or Storeroom



**28:**Dummy Trim Deadlock



**30:**Dummy Trim Deadlock



**35:**Storeroom




**43:**Apartment Corridor Door (F20)




**45:**Dormitory or Exit (F12)




**47:**Front Door or Apartment Corridor Door (F08/F10)



**50:**Hotel Guest (F15)




**51:**Storeroom Deadbolt




**16:**Apartment, Exit or Public Restroom (F09)




**17:**Asylum or Institutional (F30)




**38:**Classroom Security Intruder Latchbolt (F32)



**59:**School Security/Double Locking




**90:**Classroom Security Holdback




**92:**All Purpose Holdback



**26:**Store Door (F14)




**29:**Dummy Trim Deadlock



**39:**Classroom Security Intruder




**48:**Store Door (F25)



**49:**Security Deadbolt







**52:**Institution Deadbolt



**13:**Exit Latch (F13)

Deadbolt (F33)






**15:** Passage or Closet (F01)

**65:** Privacy Bedroom or Bath (F22)

**66:** Privacy Bedroom or Bath (F19)

**68:** Privacy Bedroom or Bath (F02)

**93:** Trim Dummy



**94:** Trim Dummy

**95:** Single Trim Dummy

**96:** Double Trim Dummy

**97:** Active Trim Dummy