



Condensed Catalog



An ASSA ABLOY Group brand

ASSA ABLOY



Introduction

Yale Locks & Hardware, an ASSA ABLOY Group company based in Berlin, CT, has provided dependable security for businesses and homeowners since 1840. A leading manufacturer in the industry, Yale offers a broad line of door hardware developed for commercial, retail, office buildings, and mixed-use facilities as well as a wide variety of residential options. Our products include mortise and cylindrical locks, exit devices, decorative hardware, door closers, electromechanical products and key systems, as well as solutions for windstorm, multi-family and small business.

When you need an affordable, reliable solution for your facility, Yale Works for YouSM.

For further information, contact your Door Security Solutions sales representative, call 800-438-1951 or visit us at www.yalelocks.com.

CONTENTS

- Introduction 2
- Reflections® Decorative Levers 3
- Mortise Locksets 4
- Mortise Lock Trim 5-6
- Cylindrical Locksets 7-12
- RL Series Tubular Locks 13
- Monlocks 14
- Auxiliary Locks 15
- Lockset Functions 16-21
- Exit Devices 22-24
- Exit Device Functions 25
- Exit Device Trim 26-27
- Cylinders and Keying/Security Cylinders 28
- Door Controls 29-32
- Electrified Products 33-38
- Residential 39-54

AMERICANS WITH DISABILITIES ACT (ADA)

Title III of the Americans With Disabilities Act (ADA), Public Law 101-336, went into effect on January 28, 1992. The ADA “prohibits discrimination on the basis of disability by private entities in places of public accommodation and that the commercial facilities be designed and constructed so as to be readily accessible to and usable by persons with disabilities...” (Federal Register, Vol. 56, No. 144/7-26-91/Rules and Regulations).

Yale locksets and door controls that comply with ADA requirements are indicated as such by the accessibility symbol in this catalog.

MICROSHIELD®

Yale locks and exit devices are available with MicroShield antimicrobial coating. MicroShield is a revolutionary hardware finish coating, using a silver ion based technology, which inhibits the growth of bacteria, algae, yeast, fungus, mold and mildew. MicroShield is non-toxic and lasts for the lifetime of the finish to which it is applied. To order, suffix option code “YMS”.



Note: MicroShield coating may vary finish color from architectural standards. Locksets and exit devices available with MicroShield will be indicated as such by the MicroShield icon. MicroShield is not intended as a substitute for traditional infection control programs such as hand hygiene or use of disinfectants. Coated products must still be cleaned to ensure the surfaces will be free of destructive microbes. Yale makes no representations or warranties, express or implied, as to the efficacy of MicroShield.



**8800 Series
Mortise Locksets**
See page 4



**4600LN Series
Lever Locksets**
See page 11



**D Series
Cylindrical Deadbolts**
See page 15



**6000 Series
Exit Devices**
See page 23



nexTouch™
See page 36




Reflections® Decorative Trim

For more than 150 years, Yale has distinguished itself as an innovative manufacturer and designer of locksets and door hardware. That tradition continues with Reflections® by Yale®, a comprehensive line of highly stylized door levers and coordinating hardware. This premier product series is available for Yale® 8800RL mortise locks, RL tubular locks and exit device trim, creating a continuity of beautiful design throughout a building.

Reflections consists of 29 dynamic and distinctive levers. Each captures a unique beauty and spirit of design unlike any other. These exquisite levers offer Yale quality and exceptional elegance to a variety of high-end commercial projects, including office buildings, museums, upscale hotels and resorts, and large multi-use projects such as apartment and condominium complexes.

Let Reflections® by Yale® inspire your vision of great design.



*Indicates levers that are handed.

Note: The following Reflections levers are not available in 629 or 630 finish: Victoria TT, TU, TV, TW, TX, TY, UW, UX, TZ; Seine TG, TJ, TK, TO; Danube TE, TI; Hudson TD. Please consider the 618 or 619 finish as an alternative.



Mortise Locksets

8800 SERIES MORTISE LOCKSETS

Yale 8800 Series Mortise Locks are designed and manufactured for uncompromising strength and durability in a range of commercial applications. Lock installation is made easy with quick lever handing, field reversible latchbolt and standard nonhanded strike. The 8800 Series Mortise Lock offers a new measure of security, featuring a reinforced stainless steel deadbolt, heavy-duty, vandal-resistant trim and ANSI/BHMA Grade 1 certification for long life and durability. The 8800 Series Mortise Lock is even backed by a 10 year mechanical warranty, making this product completely worry-free. See pages 33-34 for information on electrified options.



FEATURES

ANSI/BHMA: A156.13, Series 1000 Grade 1 

UL/cUL: UL/cUL fire-rated up to 3 hours

Windstorm: Certified (refer to local codes)  Hurricane

Lock Case and Cover: Heavy-gauge wrought steel, zinc-plated, dichromated

Backset: 2-3/4" only

Deadbolt: Stainless steel, 1" throw

Latchbolt: 3/4" throw, stainless steel one-piece anti-friction

Guardbolt: Non-handed. Deadlocks latchbolt when door is closed

Armor Front: 8" x 1-1/4"

Rabbeted Doors: Non-handed for 1/2" rabbet

Lead Shielding: Available to order

Cylinders: Brass, 6-pin, keyed-random cylinder with two keys furnished standard, 7-pin available to order. For other cylinder and keying options see page 29.

Reversibility: Locksets are handed and offer quick field reversibility

Strikes: 1-1/4" Non-handed curved lip standard; other curved lip and flat available to order

Finishes: Available in 15 standard finishes

Warranty: 10-year mechanical



HEAVY-DUTY ESCUTCHEON TRIM

8800 Series locks with escutcheon trim are provided standard with the Camden (CN) escutcheon. This zinc die cast escutcheon features one-piece casting for superior strength.

Locks with this escutcheon are ANSI/BHMA certified operational and security Grade 1 and will retrofit to existing Yale escutcheon preps. The aesthetics of the CN escutcheon provide a design continuum with Yale exit device trim for a consistent look throughout the facility.



















Mortise Lock Trim

8800FL SERIES STANDARD LEVER TRIM

All thrubolted.





<p>Arcadia*</p>  <p>ARR</p>	 <p>AR x CN</p>	<p>Augusta</p>  <p>AUR</p>	 <p>AU x CN</p>
<p>Carmel</p>  <p>CRR</p>	 <p>CR x CN</p>	<p>Jefferson</p>  <p>JNR</p>	 <p>JN x CN</p>
<p>Monroe</p>  <p>MOR</p>	 <p>MO x CN</p>	<p>Pacific Beach</p>  <p>PBR</p>	 <p>PB x CN</p>
<p>Pinehurst</p>  <p>PNR</p>	 <p>PN x CN</p>	<p>Virginia</p>  <p>VIR</p>	 <p>VI x CN</p>

* Indicates levers that are handed.

8800 SERIES STANDARD KNOB TRIM



All thrubolted.

<p>Copenhagen</p>  <p>COR</p>	 <p>CO x CN</p>
---	--



8800FL DESIGNER TRIM

All thrubolted.



<p>Hampton</p>  <p>HAR5</p>	 <p>HAE3</p>
---	---

OPTIONAL DESIGNER ROSE AND ESCUTCHEON

<p>R2</p>  <p>HAR3</p>	<p>E2</p>  <p>HAE4</p>
--	--



Mortise Lock Trim


REFLECTIONS® DECORATIVE LEVERS

Yale® 8800RL Mortise Locks are available with Reflections lever trim, a comprehensive line of highly stylized lever handles. Reflections lever handles are made from solid brass or stainless steel and can withstand years of abuse. Available in a multitude of finishes, the levers complement any wood grain or other door exterior. Each lever is hand-polished and specially designed for ergonomics and style.


FEATURES

- All 8800RL Series lever trims feature thrubolted installation. For sectional trims, this ensures positive alignment of the trim with the lock case.
- All outside trim is held in place by threaded posts. For sectional trims, the posts fit through holes in the lock case and are secured by thrubolts from the inside trim. For escutcheon trims, the posts fit through the door and are secured by thrubolts from the inside trim.
- Outside escutcheon trims have no visible screws - a great deterrent to vandalism.
- 8800RL Mortise Locks feature an internal heavy-duty spring cartridge which prevents lever sag.
- All 8800RL trims are UL/cUL listed for fire door applications.
- Available for 1-3/4" to 3-1/4" thick doors.
- Lever designs are available as shown on page 3.

REFLECTIONS® ROSES



REFLECTIONS® ESCUTCHEONS







Cylindrical Locksets

5400LN SERIES CYLINDRICAL LEVER LOCKSETS

Designed for commercial and industrial use, the Yale 5400LN offers no compromise when it comes to reliability and performance. With construction features such as our Free Wheeling lever mechanism, wear-resistant chassis plates, heavy-duty return springs and patented (Patent No. 6,131,970) door thickness adjustment, it's easy to see why the 5400LN is a favorite among those who demand the highest standard of product quality. See pages 33-34 for information on electrified options.



FEATURES

- ANSI/BHMA:** A156.2, Series 4000 Grade 1 
- UL/cUL:** UL/cUL fire-rated up to 3 hours
- Windstorm:** Certified (refer to local codes)  Hurricane
- Mechanism:** Heavy-gauge steel, zinc-plated, dichromated
- Backset:** 2-3/4" standard; 3-3/4" or 5" extension link available to order
- Latchbolt:** 1/2" stainless steel throw standard; 3/4" throw available to order
- Guardbolt:** Deadlocks latchbolt when door is closed; standard on all locking functions
- Door Thickness:** Adjustable from 1-3/4" to 2". Available to 2-1/4" doors to order.
- Fronts:** 2-1/4" x 1-1/8" beveled standard; flat fronts available to order
- Lead Shielding:** Available to order
- Cylinders:** Brass, 6-pin, keyed-random cylinder with two keys furnished standard, 7-pin available to order. For other cylinder and keying options, see page 29.
- Reversibility:** Non-handed
- Strikes:** 1-1/4" curved lip for 1-3/4" door standard; other lip lengths available to order; all reversible
- Finishes:** Available in 11 standard finishes
- Warranty:** 7-year mechanical



5400LN SERIES TRIM



Augusta AU



Monroe MO



Pacific Beach PB



Levers available to accept small format interchangeable cores and large format interchangeable cores from ASSA®, Medeco® and Schlage®. Fixed core cylinders available with keyways from Corbin®, Corbin Russwin, Russwin®, Sargent® and Schlage®.



Cylindrical Locksets

5400CK SERIES CYLINDRICAL KNOB LOCKSETS

When demanding the highest standard of product performance in even the toughest industrial applications, look no further than the Yale 5400CK Series Heavy-Duty Grade 1 cylindrical locksets. These high-quality key-in-knob locksets offer the finest cylindrical lock mechanisms available and are constructed with high-grade materials for long-lasting reliability. Manufactured for the industrial, commercial and institutional markets, 5400CK Series locksets feature security, dependability and versatility in attractive designs and finishes that fulfill all decorative requirements and blend with any architectural décor.



FEATURES

- ANSI/BHMA:** A156.2, Series 4000 Grade 1 
- UL/cUL:** UL/cUL fire-rated up to 3 hours
- Mechanism:** Heavy-gauge steel, zinc-plated, dichromated
- Backset:** 2-3/4" standard
- Latchbolt:** 1/2" stainless steel throw standard
- Guardbolt:** Deadlocks latchbolt when door is closed; standard on all locking functions
- Door Thickness:** Adjustable from 1-3/8" to 2" standard; Factory preset to 1-3/4" (44mm). 1-1/4" to 1-3/8" or 2" to 2-1/4" available to order for most trim
- Fronts:** 2-1/4" x 1-1/8" universal
- Cylinders:** Brass, 6-pin, keyed-random cylinder with two keys furnished standard. For other cylinder and keying options, see page 29.
- Reversibility:** Non-handed
 - Strikes:** 1-1/4" curved lip ANSI 497 supplied standard, T-Strike optional. All strikes available with optional lip lengths and wrought boxes
- Finishes:** Available in 3 finishes
- Warranty:** 10-year mechanical

5400CK SERIES TRIM



Carolina CA





Cylindrical Locksets

5300LN SERIES CYLINDRICAL LEVER LOCKSETS

This revolutionary lockset boasts features such as a vandal-resistant Free Wheeling lever mechanism and a patented adjustable door thickness design (Patent No. 6,131,970) that makes installation a breeze. Thrubolting provides a secure fit that resists rattling and shaking. With three lever designs and eleven finishes, you have the freedom and ability to match any decor. See pages 33-34 for electrified information.



FEATURES

- ANSI/BHMA:** A156.2, Series 4000 Grade 2 
- UL/cUL:** UL/cUL fire-rated up to 3 hours
- Windstorm:** Certified (refer to local codes)  Hurricane
- Mechanism:** Heavy-gauge steel, zinc-plated, dichromated
- Backset:** 2-3/4" standard; 2-3/8", 3-3/4" or 5" extension links available to order
- Latchbolt:** 1/2" stainless steel throw
- Guardbolt:** Deadlocks latchbolt when door is closed; standard on all locking functions
- Door Thickness:** Adjustable from 1-3/4" to 2". Available for 1-3/8" or 2-1/4" doors to order.
- Fronts:** Universal for both flat and beveled door edges
- Lead Shielding:** Not available
- Cylinders:** Brass, 6-pin, keyed-random cylinder with two keys furnished standard, 7-pin not available. For other cylinder and keying options see page 29.
- Reversibility:** Non-handed
 - Strikes:** 1-1/4" curved lip for 1-3/4" door standard; other lip lengths available to order; all reversible
- Finishes:** Available in 11 standard finishes
- Warranty:** 5-year mechanical

5300LN SERIES TRIM



Augusta AU



Monroe MO



Pacific Beach PB



Levers available to accept small format interchangeable cores and large format interchangeable cores from ASSA®, Medeco® and Schlage®. Fixed core cylinders available with keyways from Corbin®, Corbin Russwin®, Russwin®, Sargent® and Schlage®.





Cylindrical Locksets

4700LN SERIES CYLINDRICAL LOCKSETS

Yale® 4700LN cylindrical locks are the ideal choice for a wide variety of commercial applications where consistent quality, ease of use and installation are required at an economical price. The 4700LN series is certified to ANSI/BHMA Grade 1 standards and is UL fire-listed for all functions ensuring reliability and peace of mind. See pages 33-34 for electrified information.



FEATURES

- ANSI/BHMA:** A156.2, Series 4000 Grade 1 
- UL/cUL:** UL/cUL fire-rated up to 3 hours
- Windstorm:** Certified (refer to local codes)  Hurricane
- Mechanism:** Heavy-gauge steel, die-cast, zinc-plated, chromated
- Backset:** 2-3/4" standard
- Latchbolt:** 1/2" stainless steel throw standard
- Guardbolt:** Deadlocks latchbolt when door is closed; standard on all locking functions
- Door Thickness:** Adjustable from 1-3/4" to 2", available for 1-3/8" or 2-1/4" doors to order.
- Fronts:** 2-1/4" x 1-1/8" beveled standard; flat fronts available to order
- Cylinders:** Brass, 6-pin, keyed-random cylinder with two keys furnished standard, 7-pin not available. For other cylinder and keying options see page 29.
- Reversibility:** Non-handed
- Strikes:** ANSI strike 4-7/8" x 1-1/4" x 1-1/4" lip to center supplied standard. Optional T-strike available to order for 4700LN.
- Finishes:** Available in 6 standard finishes
- Warranty:** 5-year mechanical

4700LN SERIES TRIM



Augusta AU



Monroe MO



Pacific Beach PB

Levers and knob available to accept 6- and 7- pin small format interchangeable cores. Fixed core cylinders available with keyways from Corbin®, Corbin Russwin®, Russwin®, Sargent® and Schlage®.





Cylindrical Locksets

4600(LN) SERIES CYLINDRICAL LOCKSETS

Yale® 4600(LN) cylindrical locks are the ideal choice for a wide variety of commercial applications where consistent quality, ease of use and installation are required at an economical price. The 4600(LN) series is certified to ANSI/BHMA Grade 2 standards and is UL fire-listed for all functions ensuring reliability and peace of mind. 4600LN cylindrical lever locks are supplied with optional thrubolts. Installation of thrubolts is at the discretion of the installer.



FEATURES

- ANSI/BHMA:** A156.2, Series 4000 Grade 2 
- UL/cUL:** UL/cUL fire rated up to 3 hours
- Windstorm:** 4600LN Certified (refer to local codes)  Hurricane
- Mechanism:** Heavy-gauge steel, zinc plated, dichromated
- Backset:** 2-3/4" standard; 2-3/8" to order
- Latchbolt:** 1/2" stainless steel throw
- Guardbolt:** Deadlocks latchbolt when door is closed; standard on all locking functions
- Door Thickness:** Adjustable from 1-3/8" to 1-3/4"
- Fronts:** Universal for both flat and beveled door edges
- Cylinders:** Brass, 6-pin, keyed-random cylinder with two keys furnished standard, 7-pin not available. For other cylinder and keying options see page 29.
- Reversibility:** Non-handed
- Strikes:** 1-1/4" curved lip for 1-3/4" door standard; other lip lengths to special order; all reversible
- Finishes:** Available in 6 finishes
- Warranty:** 3-year mechanical

4600 SERIES TRIM



Carolina CA

4600LN SERIES TRIM



Augusta AU



Monroe MO



Pacific Beach PB



Levers and knob available to accept 6- and 7-pin small format interchangeable cores. Fixed core cylinders available with keyways from Corbin®, Corbin Russwin®, Russwin®, Sargent® and Schlage®.



Cylindrical Locksets

4300LN SERIES TUBULAR LEVER LOCKSETS

An economical, light/medium-duty lever lockset that provides an outstanding combination of value and performance. It is the ideal lever lockset for light commercial and heavy-duty residential applications, including multi-family housing units, nursing homes, retail complexes, restaurants and hotels.



FEATURES

ANSI/BHMA: A156.2, Series 4000 Grade 2 **BHMA** IDENTIFIED

UL/cUL: UL/cUL fire-rated up to 1-1/2 hours

Mechanism: Heavy-gauge steel, zinc-plated, dichromated

Backset: 2-3/4" standard; 2-3/8" available to order

Latchbolt: 1/2" stainless steel throw

Guardbolt: Deadlocks latchbolt when door is closed; standard on all functions

Door Thickness: Adjustable from 1-3/8" to 1-3/4"

Fronts: Square corner front standard; round corner available to order

Cylinders: Brass, 6-pin, keyed-random cylinder with two keys furnished standard, 7-pin not available. For other cylinder and keying options, see page 29.

Reversibility: Non-handed

Strikes: 1-1/4" curved lip T-strike standard; ANSI and full lip strikes available to order

Finishes: Available in 7 finishes

Warranty: 1-year mechanical

4300LN SERIES TRIM



Augusta AU



Madrid MA



Monroe MO



Pacific Beach PB





RL Series Tubular Locksets

RL Series Tubular Locks are designed to work with Yale® Reflections® decorative levers. Engineered for ease of installation with the quality you expect from Yale, the RL series will meet and exceed the expectations of the most demanding architects and design professionals. Ideal interior applications include hospitality, mixed-use facilities, apartments and condominiums.



FEATURES

- UL/cUL:** Available UL/cUL fire-rated up to 3 hours
- Backset:** 2-3/4" standard or 2-3/8" available to order
- Latchbolt:** 1/2" brass throw
- Door Thickness:** Adjustable from 1-3/8" to 1-3/4"
- Fronts:** 2-3/4" backset furnished standard with a 1-1/8" wide square corner front. 2-3/8" backset furnished standard with a 1" wide square corner front.
- Reversibility:** Non-handed
- Strikes:** 1-1/4" curved lip T-strike standard; ANSI and full lip strikes available to order
- Finishes:** Available in 15 finishes
- Warranty:** 1-year mechanical

RL SERIES TRIM

See page 3 for Reflections® decorative levers.



Monolocks

6400LN SERIES MONOLOCKS

Based on the Yale® 5400LN Grade 1 cylindrical lockset, the 6400LN Monolock continues the tradition of quality and dependability as a preassembled lock series designed to retrofit existing Yale® Monolock as well as Corbin Russwin Unit Lock and Falcon® Retrofit Lock installations with 1-3/4" latch height.



FEATURES



- UL/cUL:** UL/cUL fire-rated up to 1-1/2 hours
- Mechanism:** Heavy-gauge steel, zinc-plated, dichromated
- Backset:** 2-3/4"
- Latchbolt:** 1/2" stainless steel throw
- Guardbolt:** Deadlocks latchbolt when door is closed; standard on all locking functions
- Door Thickness:** 1-3/4" only
- Lead Shielding:** Available to order
- Cylinders:** Brass, 6-pin, keyed-random cylinder with two keys furnished standard, 7-pin available to order. For other cylinder and keying options, see page 29.
- Reversibility:** Handing must be specified for all functions and designs
- Strikes:** 1-1/4" lip ANSI strike supplied; other lip lengths and strikes available to order; all reversible
- Finishes:** Available in 1 finish
- Warranty:** 7-year mechanical

6400LN SERIES TRIM



Augusta AU



Monroe MO



Pacific Beach PB




Levers available to accept small format interchangeable cores and large format interchangeable cores from ASSA®, Medeco® and Schlage®. Fixed core cylinders available with keyways from Corbin®, Corbin Russwin, Russwin®, Sargent® and Schlage®.




Auxiliary Locks

D100 SERIES CYLINDRICAL DEADBOLTS

- ANSI/BHMA:** A156.5, Grade 1 
- UL/cUL:** UL/cUL fire-rated up to and including 3 hours. cUL fire-rated for wood doors up to 90 minutes.
- Backset:** 2-3/4" or 2-3/8" available to order
- Door Preparation:** Can be installed on metal doors prepared to ANSI/BHMA A156.115 Specifications
- Cross Bore Wood Doors:** Standard - 2-1/8" diameter
- Edge Bore:** 1" diameter
- Deadbolt:** 1" throw, solid steel deadbolt with hardened, free spinning, steel pin insert.
- Door Thickness:** 1-3/8" to 1-3/4" standard
- Cylinders:** Brass, 6-pin, keyed-random cylinder with two keys furnished standard. For other cylinder and keying options, see page 29.
- Reversibility:** Non-handed
- Strikes:** 2-3/4" x 1-1/8" metal and wood door strikes with strike reinforcement standard
- Finishes:** Available in 7 standard finishes
- Warranty:** 1-year mechanical



D200 SERIES CYLINDRICAL DEADBOLTS

- ANSI/BHMA:** A156.5, Grade 2 
- UL/cUL:** UL/cUL fire-rated up to and including 3 hours. cUL fire-rated for wood doors up to 90 minutes.
- Backset:** 2-3/4" or 2-3/8" available to order
- Door Preparation:** Can be installed on metal doors prepared to ANSI/BHMA A156.115 Specifications
- Cross Bore Wood Doors:** Standard - 2-1/8" diameter
- Edge Bore:** 1" diameter
- Deadbolt:** 1" throw, solid steel deadbolt with hardened, free spinning, steel pin insert.
- Door Thickness:** 1-3/8" to 1-3/4" standard
- Cylinders:** Brass, 6-pin, keyed-random cylinder with two keys furnished standard. LFIC not available. For other cylinder and keying options, see page 29.
- Reversibility:** Non-handed
- Strikes:** 2-3/4" x 1-1/8" metal and wood door strikes with strike reinforcement standard
- Finishes:** Available in 7 standard finishes
- Warranty:** 1-year mechanical

350 SERIES AUXILIARY MORTISE DEADLOCK

- UL/cUL:** UL/cUL fire-rated up to and including 3 hours. cUL fire-rated for wood doors up to 90 minutes.
- Case:** Heavy wrought steel, zinc-plated and dichromated
- Backset:** 2-3/4"
- Deadbolt:** Laminated stacked steel with hardened pin, 1" throw.
- Door Thickness:** 1-3/8" to 4" maximum, must be specified
- Front:** Universal for both flat and beveled door edges
- Thumbturn:** Brass, bronze or stainless steel. Thumbturn attaches directly to lock case for added security.
- Cylinder:** Brass, 6-pin, keyed-random cylinder with two keys furnished standard, 7-pin available to order. For other cylinder and keying options, see page 29.
- Reversibility:** Non-handed
- Finishes:** Available in 14 standard finishes
- Warranty:** 1-year mechanical





Lockset Functions

Function/ Application	(ANSI) Model Nos.	Mortise Locksets	(ANSI) Model Nos.	Cylindrical Knob Locksets	(ANSI) Model Nos.	Cylindrical Lever Locksets/ Monolocks
Passage or Closet Latch	(F01) Knob 8801 Levers 8801FL SL8801FL 8801RL		(F75) 5401CK 4601		(F75) 5401LN 5301LN 4701LN 4601LN 4301LN 6401LN	
Privacy, Bedroom or Bath Lock	(F19) Knob 8802 Levers 8802FL SL8802FL 8802RL		(F76A) 5402CK 4602		(F76A) 5402LN 5302LN 4702LN 4602LN 4302LN 6402LN	
Patio or Privacy Lock	N/A	N/A	N/A	N/A	(F77) 5403LN 5303LN 4703LN 6403LN	
Entry Lock	N/A	N/A	N/A	N/A	(F82A) 5404LN 5304LN 4704LN 4604LN 6404LN	
Storeroom or Closet Lock	(F07) Knob 8805 Levers 8805FL SL8805FL 8805RL		(F86) 5405CK 4605		(F86) 5405LN 5305LN 4705LN 4605LN 4305LN 6405LN	
Service Station Lock	N/A	N/A	N/A	N/A	(F92) 5406LN 5306LN 4706LN 6406LN	
Entry Lock	(F04) Knob 8807 Levers 8807FL SL8807FL 8807RL		(F109) 5407CK 4707 4607		(F109) 5407LN 5307LN 4707LN 4607LN 4307LN 6407LN	
Classroom Lock	(F05) Knob 8808 Levers 8808FL SL8808FL 8808RL		(F84) 5408CK 4708 4608		(F84) 5408LN 5308LN 4708LN 4608LN 4308LN 6408LN	
	Note: Shaded area denotes rigid lever or knob.		Note: Shaded area denotes rigid knob.		Note: Shaded area denotes Free Wheeling lever (except 4300LN and 4600LN).	













Lockset Functions

Function/ Application	(ANSI) Model Nos.	Mortise Locksets	(ANSI) Model Nos.	Cylindrical Knob Locksets	(ANSI) Model Nos.	Cylindrical Lever Locksets/ Monlocks
Intruder Latchbolt Lock	(F32) Knob 8808-2 Levers 8808-2FL SL8808-2FL 8808-2RL			N/A		N/A
Classroom or Office Lock (Mortise) Exit Latch (Cylindrical)	Knob 8809 Levers 8809FL SL8809FL 8809RL			N/A	(F89) 5409LN 5309LN 4709LN 6409LN	
Intruder Deadbolt Lock	(F33) Knob 8811-2 Levers 8811-2FL SL8811-2FL 8811-2RL			N/A		N/A
Intruder Deadbolt Lock	(F34) Knob 8812-2 Levers 8812-2FL SL8812-2FL 8812-2RL			N/A		N/A
Classroom Deadlock	(F29) 8813ST			N/A		N/A
Classroom Deadlock	8813ST-2			N/A		N/A
Deadlock	(F18) 8814			N/A		N/A
Deadlock	(F16) 8814-2			N/A		N/A
	Note: Shaded area denotes rigid lever or knob.		Note: Shaded area denotes rigid knob.		Note: Shaded area denotes Free Wheeling lever.	














Lockset Functions

Function/ Application	(ANSI) Model Nos.	Mortise Locksets	(ANSI) Model Nos.	Cylindrical Knob Locksets	(ANSI) Model Nos.	Cylindrical Lever Locksets/ Monolocks
Deadlock	(F17) 8815			N/A		N/A
Apartment, Exit or Public Toilet Lock	(F09) Knob 8817-2 Levers 8817-2FL SL8817-2FL 8817-2RL			N/A	(F88) 5417LN 6417LN	
Classroom Security Intruder Lock	Knob 8818-2 Levers 8818-2FL SL8818-2FL 8818-2RL			N/A	(F110) 5418LN 5318LN 4718LN 6418LN	
Store Door Lock		N/A		N/A		N/A
Hotel Guest Lock	(F15) Knob 8820 Levers 8820FL SL8820FL 8820RL			N/A		N/A
Communicating Lock		N/A		N/A	(F80) 5421LN 5321LN 4721LN 6421LN	
Dormitory, Exit or Corridor Lock	(F13) Knob 8822 Levers 8822FL SL8822FL 8822RL			N/A	(F90) 5422LN 5322LN 4722LN 6422LN	
Storeroom Lock	Knob 8823 Levers 8823FL SL8823FL 8823RL			N/A		N/A
	Note: Shaded area denotes rigid lever or knob.		Note: Shaded area denotes rigid knob.		Note: Shaded area denotes Free Wheeling lever.	











Lockset Functions









Function/ Application	(ANSI) Model Nos.	Mortise Locksets	(ANSI) Model Nos.	Cylindrical Knob Locksets	(ANSI) Model Nos.	Cylindrical Lever Locksets/ Monlocks
Holdback Lock	Knob 8824 Levers 8824FL SL8824FL 8824RL			N/A		N/A
Privacy Lock		N/A		N/A	5425LN 5325LN 4725LN 6425LN	
Hotel/Motel Lock	Knob 8827 Levers 8827FL SL8827FL 8827RL			N/A		N/A
Exit or Communicating Passage Lock	(F31) Knob 8828 Levers 8828FL SL8828FL 8828RL			N/A	(F111) 5428LN 5328LN 4728LN 4628LN 4328LN 6428LN	
Communicating Classroom or Closet Lock	Knob 8829 Levers 8829FL SL8829FL 8829RL			N/A	(F113) 5429LN 5329LN 4729LN 6429LN	
Asylum or Institutional Lock	(F30) Knob 8830-2 Levers 8830-2FL SL8830-2FL 8830-2RL		(F87) 5430		(F87) 5430LN 5330LN 4730LN 6430LN	
Communicating Storeroom Lock		N/A		N/A	(F112) 5439LN 5339LN 4739LN	
	Note: Shaded area denotes rigid lever or knob.		Note: Shaded area denotes rigid knob.		Note: Shaded area denotes Free Wheeling lever.	



Lockset Functions

Function/ Application	(ANSI) Model Nos.	Mortise Locksets
Detention Lock	Knob 8831	
	Lever SL8831FL	
Hotel/Motel Lock	Knob 8832	
	Levers 8832FL	
	SL8832FL 8832RL	
Exit Lock	Knob 8833	
	Lever 8833FL	
	8833RL	
All Purpose Lock	8833-2	
All Purpose Lock	Knob 8834	
	Lever 8834FL	
	8834RL	
All Purpose Lock	Knob 8834-2	
	Lever 8834-2FL	
	8834-2RL	
Exit Lock	Knob 8835	
	Lever 8835FL	
	SL8835FL	
	8835RL	
Storeroom Deadbolt	Knob 8840	
	Levers 8840FL	
	SL8840FL	
	8840RL	

Note: Shaded area denotes rigid lever or knob.

Function/ Application	(ANSI) Model Nos.	Mortise Locksets
Apartment Corridor Door Lock	(F20) Knob 8847	
	Levers 8847FL	
	SL8847FL	
	8847RL	
Room Door Lock	(F21) Knob 8860	
	Levers 8860FL	
	SL8860FL	
	8860RL	
Store Door Lock	(F14) Knob 8860-2	
	Levers 8860-2FL	
	SL8860-2FL	
	8860-2RL	
Dormitory or Storeroom Lock	Knob 8861	
	Levers 8861FL	
	SL8861FL	
	8861RL	
Privacy, Bedroom or Bath Lock	(F22) Knob 8862	
	Levers 8862FL	
	SL8862FL	
	8862RL	
Bathroom Lock with Indicator	Knob 8864	
	Levers 8864FL	
	8864RL	
Bathroom Lock	Knob 8865	
	Levers 8865FL	
	SL8865FL	
	8865RL	
Dormitory or Exit Lock	(F12) Knob 8867	
	Levers 8867FL	
	SL8867FL	
	8867RL	

Note: Shaded area denotes rigid lever or knob.



Lockset Functions

Function/Application Mortise Deadlocks	ANSI (Grade 1/Grade 2)	Model Number	Deadlocks
Cylinder x Thumbturn Deadbolt operated by key outside, thumbturn inside.	—	352	
Cylinder x Cylinder Deadbolt operated by key outside, key inside.	—	351	
Cylinder x Blank (Rose) Deadbolt operated by key outside only. No inside operation.	—	353	
Blank Plate x Thumbturn Deadbolt operated by thumbturn inside only. No outside operation.	—	354	
Cylinder x Classroom Thumbturn Deadbolt operated by key outside, deadbolt retracted by thumbturn inside. Thumbturn will not project deadbolt.	—	357	
Cylinder x Cylinder & Thumbturn Deadbolt by key outside and inside. Inside thumbturn will retract deadbolt but will not project it.	—	356	
Function/Application Cylindrical Deadbolts	ANSI (Grade 1/Grade 2)	Model Number D100 D200	Deadbolts
Cylinder x Thumbturn Deadbolt operated by key outside, thumbturn inside.	E2151/E2152	D111 D211 D112 D212 B-D171 D212 B-D172	
Cylinder x Cylinder Deadbolt operated by key outside, key inside.	E2141/E2142	D121 D221 D122 D222	
Cylinder x Blank (Rose) Deadbolt operated by key outside only. No inside operation.	E2161/E2162	D131 D231 D132 D232	
Blank Plate x Thumbturn Deadbolt operated by thumbturn inside only. No outside operation.	E2191/E2192	D141 D241 D142 D242	
Blank Plate x Cylinder Deadbolt operated by key inside only. No outside operation.	E2101/E2102	D151 D251 D152 D252	
Cylinder x Classroom Thumbturn Deadbolt operated by key outside, deadbolt retracted by thumbturn inside. Thumbturn will not project deadbolt.	E2171/E2172	D161 D261 D162 D262 B-D181 D262 B-D182	
Occupancy Indicator x Thumbturn Deadbolt operated by thumbturn inside, emergency override key outside. Outside indicator displays "In Use" when deadbolt thrown or "Vacant" when deadbolt retracted.	N/A	N/A D291 D292	
Deadbolt Model Number Description			
D	X	X	X
Model Number	Grade	Function	Backset "1" = 2-3/8", "2" = 2-3/4"



Exit Devices

7000 SERIES ARCHITECTURAL EXIT DEVICES

Yale® 7000 Series Exit Devices deliver an unparalleled combination of durability, breadth of line, innovation and aesthetics. With an architecturally inspired design that features simple clean lines, both our wide and narrow stile devices are visually appealing and bring gracious totality to the entire line of Yale locks and hardware.

As an option, Yale 7000 series exit devices are available with a photoluminescent touchpad cover. Lumi-Lite® (top picture) allows for easy egress in an emergency blackout situation.





7100 SERIES EXIT DEVICES

A conventional exit device used for single swing doors or pairs of doors of metal, wood or composite construction.

Types

- Rim SquareBolt® Devices (type 28)
- Rim Pullman Bolt Devices (type 1)
- Surface Vertical Rod Devices (type 2)
- Concealed Vertical Rod Devices (types 7 and 8)
- Mortise Devices (type 3)

Features

- Certified ANSI/BHMA A156.3 Grade 1 exit hardware 
- UL/cUL listed for fire labeled or panic exit doors
- Windstorm certified (refer to local codes)  Hurricane
- Outside trim fits stock 161 door preps, escutcheon outside fitting stock 86 door preps
- Surface and concealed vertical rod devices are available in Less Bottom Rod varieties
- Double cylinder devices are available for Rim SquareBolt, Rim Pullman and Mortise varieties
- Available with complete range of electrified options, including REX, electric dogging, outside trim monitoring, latch pullback, bolt status monitoring or delayed egress
- Available in 13 standard finishes
- 5-year mechanical warranty





7200/7200M SERIES EXIT DEVICES

A narrow stile exit device compatible with the aesthetics and function requirements of contemporary doors of aluminum or metal construction.

Types

- Rim SquareBolt Devices (type 28)
- Rim Pullman Bolt Devices (type 4)
- Surface Vertical Rod Devices (type 5)
- Concealed Vertical Rod Devices (types 6 and 8)

Features

- Certified ANSI/BHMA A156.3 Grade 1 exit hardware 
- UL/cUL listed for fire labeled (7200M) or panic exit doors
- Windstorm certified (refer to local codes)  Hurricane
- Optional removable mullions, keyed removable mullions, raised molding clearance kits and custom specialties are all available
- Available with complete range of electrified options, including REX, electric dogging, outside trim monitoring, latch pullback, bolt status monitoring or delayed egress
- Available in 13 standard finishes
- 5-year mechanical warranty





Exit Devices

6000 SERIES COMMERCIAL EXIT DEVICE

With a full range of functions and options and ANSI Grade 1 certification, the Yale® 6000 Series Exit Devices provide the right security for your commercial facility.


Types


- Rim SquareBolt® Devices (type 5)
- Rim Pullman Bolt Devices (type 0)
- Surface Vertical Rod Devices (type 7)
- Concealed Vertical Rod Devices (type 6)



6100-A-ALR emergency exit device features red screenprinted pushpad. See 6000 Series catalog for more information.

Features

- ANSI/BHMA A156.3 Grade 1 certified 
- UL/cUL listed for fired rated or panic doors
- Available in 13 mechanical functions
- Available in standard or decorative lever designs
- 10 year warranty





2100 SERIES FLATBAR EXIT DEVICES

It's no secret that the 2100 Series Flatbar Exit Device has a reputation as the right choice for meeting the rigors of demanding industry segments.

Types

- Rim SquareBolt® Devices (type 28)
- Rim Pullman Bolt Devices (type 1)
- Surface Vertical Rod Devices (type 2)
- Concealed Vertical Rod Devices (types 7 and 8)

Features

- Certified ANSI/BHMA A156.3  Grade 1 exit hardware
- UL/cUL listed for fire labeled or panic exit doors
- Windstorm certified (refer to  Hurricane local codes)
- Optional removable mullions, keyed removable mullions, Torx® security screws and custom specialties are all available
- Available in 6 finishes
- 3-year mechanical warranty





Exit Devices


1800 SERIES FLATBAR EXIT DEVICES


1800 Series Exit Devices are the ideal choice for a wide variety of commercial applications where consistent quality, ease of use and installation are required.

Types

- Rim Pullman Bolt Devices (type 1)
- Surface Vertical Rod Devices (type 2)

Features

- Certified ANSI/BHMA A156.3  Grade 1 exit hardware
- UL/cUL listed for fire labeled or panic exit doors
- Outside trim fits stock 161 door preps, escutcheon outside fitting stock 86 door preps
- Available in 4 finishes
- 3-year mechanical warranty



1500 SERIES TRADITIONAL EXIT DEVICES

Traditional exit devices for compliance with the exit and access demands of today's codes, where it is important to maintain the architectural lines of yesterday.

Types

- Rim Pullman Bolt Devices (type 1)
- Surface Vertical Rod Devices (type 2)
- Concealed Vertical Rod Devices (type 8)
- Mortise Devices (type 3)

Features

- Certified ANSI/BHMA A156.3  Grade 1 exit hardware
- UL listed for fire labeled or panic exit doors
- Mortise devices available with fail safe or fail secure options
- Outside trim options available for most functions
- Optional removable mullions, keyed removable mullions, Torx® security screws and custom specialties are all available
- Available in 13 standard finishes
- 1-year mechanical warranty





Exit Device Functions


Series	Application	Rim Pullman Bolt	Rim SquareBolt®	Surface Vertical Rod	Concealed Vertical Rod		Mortise
					Metal Doors	Wood Doors	
7100	Flush or Wide Stile Doors	Panic: 7100 7100-2 Fire: 7100F 7100F-2	Panic: 7150 7150-2 7150WS Fire: 7150F 7150F-2 7150FWS	Panic: 7110 7170* 7170WS Fire: 7110F 7170F* 7170WS	Panic: 7120 7160* Fire: 7120F 7160F*	Panic: 7160* Fire: 7160F*	Panic: 7130 7130-2 Fire: 7130F 7130F-2
7200	Narrow Stile Doors	Panic: 7200	Panic: 7250	Panic: 7210	Panic: 7220	—	—
7200M	Flush or Wide Stile Doors	Panic: 7200M Fire: 7200MF	Panic: 7250M 7250MWS Fire: 7250MF 7250MFWS	Panic: 7210M Fire: 7210MF	Panic: 7220M Fire: 7220MF	—	—
6100	Wide Stile Doors	Panic: 6100-2 Fire: 6100F-2	Panic: 6150 6150-2 6150WS Fire: 6150F 6150F-2 6150FWS	Panic: 6170* 6170WS Fire: 6170F* 6170WS	Panic: 6160* Fire: 6160F*	Panic: 6160* Fire: 6160F*	Panic: 6130 6130-2 Fire: 6130F 6130F-2
6200	Narrow Stile Doors	Panic: 6200	Panic: 6250	Panic: 6210	Panic: 6220	—	—
2100	Flush or Wide Stile Doors	Panic: 2100 2100WS Fire: 2100F 2100FWS	Panic: 2150 2150WS Fire: 2150F 2150FWS	Panic: 2170* Fire: 2110F 2170F*	Panic: 2120 2160* Fire: 2120F 2160F*	Panic: 2160* Fire: 2160F*	—
1800	Flush or Wide Stile Doors	Panic: 1800 Fire: 1800F	—	Panic: 1810 Fire: 1810F	—	—	—
1500	Flush or Wide Stile Doors	Panic: 1500 Fire: 1500F	—	Panic: 1510 Fire: 1510F	Panic: 1520 Fire: 1520F	—	Panic: 1530 Fire: 1530F

*Less Bottom Rod (LBR) option available (F90).



Exit Device Trim

Entry functions, for doors equipped with Yale® exit devices, are provided by trim with mechanisms mortised into the doors, and exposed components in architectural finishes. Yale keying systems, as well as other keying, are easily integrated.




















 **ADA compliance** is maintained when Yale® exit devices are used with lever handle or pull trims.

 **Vandal-Resistant Free Wheeling** lever action offers protection against forced entry, lockouts, and damage to the hardware.

Cylinders: Brass, 6-pin, keyed-random cylinder with two keys furnished standard, 7-pin available to order. For other cylinder and keying options, see page 30.









Warranty: 5-year mechanical for all 600 series trims.

Options include outside cylinder only and decorative lever handles

Trim	Device Series	Trim Functions	Remarks
	500F Narrow Escutcheon	7200 7200M 6200	F02, F03, F08, F09 F11, F12 Passage Blank Plate  ADA Lever Access  Vandal-Resistant Lever Action
	480F 510 Narrow Escutcheon With Pull	7200 7200M 6200	F02, F03, F05, F06 F11, F12, F15, F16 Passage Blank Plate  ADA Pull Access
	420 (Rim, V.R.) 620F (Rim, V.R.) 650F (Mortise) 350F (Mortise) Full Escutcheon	7100 6100 2100 1800 1500	F02, F03, F08, F09, F14 Passage Blank Plate  ADA Lever Access  Vandal-Resistant Lever Action (Rim V.R. Only)
	630F (Rim, V.R.) 660F/670F (Mortise) Full Escutcheon	7100 6100 2100 1500	F02, F03, F05, F06, F15 Passage Blank Plate  ADA Pull Access
	440F 540F 580F Rose	7100 6100 2100 1800	F02, F03, F08, F14 Passage  ADA Lever Access  Vandal-Resistant Lever Action
	210F Plate/Finger Pull	2100	F02, F03 Baked Enamel Finishes
	603F Full Escutcheon with Thumbturn	7100 2100	F08, F09, F14 Passage Rim, SVR, CVR for use with pull by others
	480F Narrow Escutcheon with Offset Pull	7200 7200M 6200	F02, F03  ADA Pull Access
	680F Full Escutcheon with Offset Pull	7100	F02, F03  ADA Pull Access

Exit Device Trim

LEVER TRIM DESIGNS

 <p>Arcadia AR</p>	 <p>Augusta AU</p>	 <p>Carmel CR</p>	 <p>Jefferson JN</p>
 <p>Monroe MO</p>	 <p>Pacific Beach PB</p>	 <p>Pinehurst PN</p>	 <p>Virginia VI</p>

KNOB TRIM DESIGNS



Copenhagen CO

DESIGNER TRIM DESIGN



Hampton HA

REFLECTIONS® DECORATIVE LEVERS

See page 3 for Reflections decorative levers.



Cylinders and Keying/Security Cylinders

CYLINDERS AND KEYING


All Yale® locksets are available in a wide choice of cylinder and keying options:

Cylinder Types and Options:

- Fixed Core (standard)
- Large Format Interchangeable Core
- Small Format Interchangeable Core
- Conventional Keyways
- Protected Keyways
- Security Cylinders (Not UL437 Certified)
- High Security Cylinders (UL437 Certified)


Keying Options:

- Keyed Different (KD)
- Keyed Alike (KA)
- Master-Keyed (MK)
- Grand Master-Keyed (GMK)
- Great Grand Master-Keyed (GGMK)
- Construction Keying (CMK)



INTERCHANGEABLE CORES

Yale® cylinders with interchangeable cores allow your master key systems to be flexible. With the special "Control" key any cylinder can have its core interchanged quickly. Any Yale core can be interchanged into any other Yale lock provided it has a interchangeable core. As a result, security for any given lock can be changed in a matter of minutes. Yale interchangeable core cylinders can be used throughout the entire master key system. They can be used selectively within the system along with Yale fixed core cylinders. There are two types of interchangeable cores that are offered by Yale.



1. Large Format (LFIC) - These cores are available in both standard Yale cylinders and also Yale KeyMark® cylinders. Note that standard Yale cylinders and Yale KeyMark cylinders cannot be keyed to the same master key system.
2. Small Format (SFIC) - Yale offers SFIC cores in Yale KeyMark and Best® keyways A, B, C, D, E, F, G, H, J, K, L and M. Best® keyway cores can be provide keyed random, master keyed or uncombined. Yale will provide master keying to new key system only. Systems can be provided using the A2 or A4 pinning specification and can not be tied into any conventional or Yale KeyMark key systems. All cylindrical lock small format preparations and 1-3/8" housings accept either 6- or 7-pin cores.



YALE® KEYMARK®

For those applications requiring protected key control, Yale® KeyMark® cylinders guard against unauthorized key duplication. The Yale KeyMark Security Leg® keyway feature increases resistance against picking and impressioning and can easily retrofit into existing systems. Cylinders include mortise, rim, key-in-lever, key-in-knob, auxiliary, and interchangeable core. IC core is available in both large and small formats. All formats can be tied into one master key system.



SECURITY/HIGH SECURITY CYLINDERS

Yale® security/high-security cylinders contain two independent locking mechanisms. The first is a traditional 6 or 7-pin tumbler mechanism with spool drivers for increased picking resistance.



The second is a 5-tumbler rotating disc mechanism with sidebar engagement. The rotating discs are spring loaded and block the bottom of the keyway. Only a specially cut key will move the discs and allow entrance of the key. This key has a special side biting and must align all five discs perfectly before the cylinder plug will rotate to open the lock.



Door Controls

5800 SERIES CAST IRON DOOR CLOSERS

Yale® 5800 Series Cast Iron Door Closers are ideal for commercial applications where ease of use, installation and aesthetics are required at an economical price.


The 5800 Series features rugged construction, adjustments for backcheck, closing and latch speed, rack and pinion operation and a variety of arm options.

Features

- Adjustable spring sizes 1 through 6
- Non-handed
- Cast iron
- Tri-packed: regular, parallel or top jamb mounting
- Adjustable backcheck valve
- Adjustable closing speed valve
- Adjustable latching speed valve
- Full plastic cover
- Spring power adjustment
- Hold-open and heavy-duty arms arm configurations
- Sleeve nuts included with all models
- Optional - Delayed action
- 10-year limited warranty

Compliance Standards

- Certified for ANSI/BHMA A156.4 Grade 1 
- UL and cUL listed. This includes compliance to UL10C.
- Meets requirements for Americans with Disabilities Act (ADA) and ANSI/BHMA A117.1 



4400 SERIES INSTITUTIONAL DOOR CLOSERS

The 4400 Series offers customers the ideal combination of superior performance, quality and strength.

Features

- Adjustable spring sizes 1 through 6
- Tri-pack standard (regular arm, top jamb and parallel arm mounting)
- Non-handed
- Standard, separate and independent, latch, sweep and backcheck intensity valves
- 2-3/16" (56mm) projection
- Staked valves
- All standard arm applications allow doors to swing 180°, conditions permitting
- 25-year limited warranty

Optional Features

- Metal cover
- Corrosion-resistant model (specify 4400S)
- Delayed action
- Enhanced backcheck
- Heavy-duty arms available: Regular Rigid, Parallel Rigid, Holder/Stop, Holder/Stop Spring and UNI Stop™
- Slide track – push or pull mounting

Compliance Standards

- Certified ANSI/BHMA A156.4, Grade 1 
- UL/cUL listed
- UL10C compliant for positive pressure
- Meets requirements for Americans with Disabilities Act (ADA) and ANSI/BHMA A117.1 






Door Controls

3000 SERIES ARCHITECTURAL DOOR CLOSERS

The 3000 Series offers the perfect combination of reliability, appearance and durability in today's market.

Features

- Adjustable spring sizes 1 through 6
- Tri-pack standard (regular arm, top jamb or parallel arm mounting)
- Non-handed
- Staked valves
- Standard, separate and independent, latch, sweep and backcheck intensity valves
- 2-1/8" (54mm) projection (standard covers)
- All standard arm applications allow doors to swing 180°, conditions permitting
- 25-year limited warranty
- Metal, architectural plastic or architectural metal covers
- Delayed action
- Heavy-duty arms available: Parallel Rigid, Holder/Stop, Holder/Stop Spring and UNI Stop™



Compliance Standards

- Certified ANSI/BHMA A156.4, Grade 1 
- UL/cUL listed
- UL10C compliant for positive pressure
- Meets requirements for Americans with Disabilities Act (ADA) and ANSI/BHMA A117.1 

2700 SERIES ARCHITECTURAL DOOR CLOSERS

The 2700 Series features rugged construction, adjustments for backcheck, closing and latch speed, and rack and pinion operation.

Features

- Adjustable spring sizes 1 through 6
- Non-handed
- Aluminum
- Tri-packed: regular, parallel or top jamb mounting
- Adjustable backcheck valve
- Adjustable closing speed valve
- Adjustable latching speed valve
- Full plastic cover
- Spring power adjustment - adjust with adjustable wrench
- Hold-open and heavy-duty arms available
- Sleeve nuts included with all models
- Optional fasteners:
 - Thurbolts and grommet nuts
- Optional - Delayed action
- 10-year limited warranty



Compliance Standards

- Certified ANSI/BHMA A156.4, Grade 1 
- UL/cUL listed
- UL10C compliant for positive pressure
- Meets requirements for Americans with Disabilities Act (ADA) and ANSI/BHMA A117.1 



Door Controls

51 SERIES INDUSTRIAL DOOR CLOSERS

The 51 series is ideal for use with aluminum store front doors and frames, yet they also complement wood or metal door installations.

Features

- Non-handed
- Staked valves
- Standard, separate and independent, latch, sweep and backcheck intensity valves
- 2-7/8" (73mm) projection
- 15-year limited warranty

Optional Features

- Delayed action (in lieu of backcheck)
- Molded plastic cover

Compliance Standards

- Certified ANSI/BHMA A156.4, Grade 1 
- UL/cUL listed
- UL10C compliant for positive pressure
- Meets requirements for Americans with Disabilities Act (ADA) and ANSI/BHMA A117.1 (51BF) 



	51	51BF
Adjustable spring sizes 3 through 6	X	
Adjustable spring sizes 1 through 4		X
Tri-pack standard (regular arm, top jamb or parallel arm mounting)	X	X

1100 SERIES INDUSTRIAL DOOR CLOSERS

The 1100 Series features rugged construction, adjustments for closing and latch speed, and rack and pinion operation.


Features

- 1101BF (non-hold open) and 1111BF (hold open) door closers are adjustable spring sizes 1 through 4
- 1104BC (non-hold open) door closers are spring size 4
- Non-handed
- Full rack and pinion
- Aluminum
- Tri-packed: regular, parallel or top jamb mounting
- Adjustable backcheck valve
- Adjustable closing speed and latching speed valves
- Auxiliary door stop required
- Sleeve nuts included with all models
- 5-year limited warranty

Optional Features

- Cover (order separately)

Compliance Standards

- UL/cUL listed
- 1101BF/1111BF - designed to meet requirements for ANSI/BHMA A156.4 Grade 1. Door closers meet handicapped requirements for light to medium weight interior doors. 
- 1104BC - designed to meet requirements for ANSI/BHMA A156.4 Grade 2





Door Controls

YDC200 ECONOMY DOOR CLOSERS

The YDC200 Series is a no-fuss, economical option for aluminum storefront settings and other high volume applications.

Features

- Adjustable spring size 1-4 (YDC201) or fixed spring size 4 (YDC204)
- Tri-packed: regular, top jamb, or parallel mounting options
- Non-handed
- Cast aluminium body and threaded adjustable arm
- Rack & pinion design
- Independent latch, sweep, and backcheck intensity valves
- Available in two finishes 689 & 690
- 5 year limited warranty
- Designed to meet Grade 1 specifications





Electrified Products

Yale offers a range of new and exciting electromechanical products to meet a variety of applications, ensuring a distinct Yale advantage. These products include nexTouch™ Keypad Access Lock, alarms and alarmed devices, and electrified mortise and cylindrical locking products. Yale's electrified products incorporate the highest level of security available with the added flexibility and security of remote electrical control. Electrified hardware is ideal for interfacing with access control, security and fire alarm systems.

ELECTROLYNX®

What normally took an hour or more to connect now takes minutes. All Yale® electrified hardware is equipped with ElectroLynx® connectors. As a standard feature, these connectors link power from the incoming source to electrified locking products, including hinges, locks, exit devices, magnetic holders and strikes.

Note: Electrified door hardware with ElectroLynx® connectors require a compatible hinge.


MORTISE LOCKSETS

- Certified ANSI/BHMA A156.13 Series 1000, Grade 1
- UL10B Listed for 3-hour fire-rated openings
- Utilizes 8800 lockset
- Continuous duty integral solenoid
- Available in 12 or 24VDC
- Fail Safe or Fail Secure Operation
- Request to Exit (REX), Latchbolt Monitoring (LBM), Deadbolt Monitoring (DBM) , Integrated Total Security (ITS) options available



CYLINDRICAL LOCKSETS

- Certified ANSI/BHMA A156.2 Series 4000, Grade 1 and 2
- UL Listed
- Utilizes 5400LN, 5300LN or 4700LN lockset
- Free Wheeling lever mechanism
- Available in 12 or 24V
- External rectifier accepts AC or DC voltage
- Mechanical cylinder override
- Fail Safe or Fail Secure Operation
- Request to Exit (REX) option available (5400LN series only)





Electrified Products

MORTISE AND CYLINDRICAL FUNCTIONS

Fail Safe – Locked when power is on and unlocked when power is off.

Function Description	Mortise Model Number	Cylindrical Model Numbers
<ul style="list-style-type: none"> Power on – outside lever locked Inside lever always free No key override 	8880	4780LN 5380LN 5480LN
<ul style="list-style-type: none"> Power on – both levers locked No key override 	8884	N/A
<ul style="list-style-type: none"> Power on – outside lever locked Mechanical key override by outside 	8890	4790LN 5390LN 5490LN
<ul style="list-style-type: none"> Power on – both levers locked Mechanical key override by both sides 	8894-2	N/A
<ul style="list-style-type: none"> Power on – outside lever locked Deadbolt by key outside, thumbturn inside Mechanical key override by outside 	8896	N/A
<ul style="list-style-type: none"> Power on – outside lever locked Deadbolt by key both sides Mechanical key override by both sides 	8896-2	N/A
<ul style="list-style-type: none"> Power on – both levers locked Deadbolt by key outside, thumbturn inside Mechanical key override by outside 	8898	N/A
<ul style="list-style-type: none"> Power on – both levers locked Deadbolt by key both sides Mechanical key override by both sides 	8898-2	N/A

Fail Secure – Unlocked when power is on and locked when power is off.

Function Description	Mortise Model Number	Cylindrical Model Numbers
<ul style="list-style-type: none"> Power off – outside lever locked Inside lever always free No key override 	8881	4781LN 5381LN 5481LN
<ul style="list-style-type: none"> Power off – both levers locked No key override 	8885	N/A
<ul style="list-style-type: none"> Power off – outside lever locked Mechanical key override by outside 	8891	4791LN 5391LN 5491LN
<ul style="list-style-type: none"> Power off – both levers locked Mechanical key override by both sides 	8895-2	N/A
<ul style="list-style-type: none"> Power off – outside lever locked Deadbolt by key outside, thumbturn inside Mechanical key override by outside 	8897	N/A
<ul style="list-style-type: none"> Power off – outside lever locked Deadbolt by key both sides Mechanical key override by both sides 	8897-2	N/A
<ul style="list-style-type: none"> Power off – both levers locked Deadbolt by key outside, thumbturn inside Mechanical key override by outside 	8899	N/A
<ul style="list-style-type: none"> Power off – both levers locked Deadbolt by key both sides Mechanical key override by both sides 	8899-2	N/A



Electrified Products

EXIT DEVICES

The Yale® 7000 and 6000 Series Exit Devices offer a complete range of electrical options:

- Latch Retraction
- Electric Dogging
- Mortise Device Trim Control
- Touchbar Monitor or Signaling
- Outside Trim Monitor or Signaling
- Bolt Position Monitor or Signaling
- Delayed Egress (Patent No. 7,469,942)
- Electric Trim Control
- Alarm

Electrified exit devices may be integrated into the monitoring security and alarm systems of most buildings.



EXIT DEVICE OPTION DESCRIPTIONS

A	Alarm Option	P	Latch Retraction
A-ALR	Alarm option with red screenprinted pushpad	S	Bolt Monitor
B	Touchbar Monitor	SAFE	Fail Safe Operation (Mortise)
D	Delayed Egress	SECURE	Fail Secure Operation (Mortise)
G	Electric Dogging	690F	Fail Safe Electrified Trim
H*	Security Package (DPS)	691F	Fail Secure Electrified Trim
O	Trim Monitor		

Note: Any combination of the following options cannot be ordered together:
1) P, G, or D 2) B or A 3) D, B or A
***Only available for rim and SquareBolt® Devices when used with Delayed Egress option.**

ELECTRIFIED OPTIONS CHART

Model #	Exit Device Description	A	A-ALR	B	G	H	O	P	S	SAFE	SECURE	690F	691F
6100(F)	Rim Exit Device (Wide)	x	x	x	x	x	x	x	x			x	x
7100(F)	Rim Exit Device (Wide)	x		x	x	x	x	x	x			x	x
6110(F)	Surface Vertical Rod (Narrow)	x		x	x		x	x	x			x	x
7110(F)	Surface Vertical Rod (Wide)	x		x	x		x	x	x			x	x
6120(F)	Surface Vertical Rod (Narrow)	x		x	x		x	x	x			x	x
7120(F)	Concealed Vertical Rod (Wide)	x		x	x		x	x	x			x	x
6130(F) & 7130(F)	Mortise Exit Device (Wide)	x		x	x		x	x	x	x	x		
6150(F) and 7150(F)	Rim SquareBolt® Device (Wide)	x		x	x	x	x	x	x			x	x
6160(F) & 7160(F)	Concealed Vertical Rod (Wide)	x		x	x		x	x	x			x	x
6170(F) & 7170(F)	Surface Vertical Rod (Wide)	x		x	x		x	x	x			x	x
6200 & 7200(M)(F)	Rim Exit Device (Narrow)	x		x	x			x	x				
6210 & 7210(M)(F)	Surface Vertical Rod (Narrow)	x		x	x			x	x				
6220 & 7220(M)(F)	Concealed Vertical Rod (Narrow)	x		x	x			x	x				
6250 & 7250(M)(F)	Rim SquareBolt® Device (Narrow)	x		x	x			x	x				

STAND-ALONE DOOR ALARM

The SDA16 stand-alone battery operated door alarm is designed to continually monitor the status of a door. When the door is opened without authorization, an alarm is triggered to alert the security violation. This alarm features a Peizo horn which blasts a deafening 105+ decibels to alert the violation.



This unit is ideal for emergency doors as well as stairwell doors and rear exit doors in retail environments. The unit, which can also be hardwired, easily complements existing hardware, making any opening alarmed. The SDA16 door alarm is typically mounted on the interior of the door frame or door and is paired with a magnet mounted on the opposing side of the door gap.

REMOTE MOUNTING

The SDA16 can be installed remotely from the door by attaching the contacts to the door and frame. The unit can be installed up to 6 feet from the door. This provides the ideal solution for circumstances where exposure to weather may be an issue. To order specify "SDA16XL".



Note: Actual wire length is 6 feet.



nexTouch™ Keypad Locks

Yale nexTouch locks combine a modern look and innovative access control technology with an array of bold new features, offering an attractive access control solution in many applications. With a heavy-duty design and ANSI/BHMA Grade 1 certification, nexTouch provides durable and reliable security in multiple platforms to a range of commercial facilities including offices, retail and multi-family facilities.

1
Lock Platform,
3
Technologies



FEATURES

- Choice of capacitive touchscreen or tactile pushbutton keypad
- Ergonomic, easy-to-use design
- Keyless entry and management
- Access with PIN codes
- Voice-guided programming in 3 languages
- Privacy feature with Door Position Switch
- 9V battery power backup feature
- Low battery indicator
- Three volume modes
- Certified ANSI/BHMA Grade 1 **BHMA CERTIFIED**
- UL/cUL listed for use on fire doors
- ADA compliant and decorative levers available
- Optional cylinder/key override – full range of Yale® 6-pin conventional, protected and security cylinders available including large and small format interchangeable core
- Weather resistant
- 3-year limited warranty



nexTouch™ Keypad Locks

CYLINDRICAL

Functions

Model Number	Keypad	Function
NTB630	Pushbutton	Without cylinder override
NTB640	Touchscreen	
NTB610	Pushbutton	With cylinder override
NTB620	Touchscreen	



Trim

		
Augusta AU	Monroe MO	Pacific Beach PB

SECTIONAL MORTISE








Functions

Model Number	Keypad	Function
NTM630	Pushbutton	No deadbolt without cylinder override
NTM640	Touchscreen	
NTM610	Pushbutton	No deadbolt with cylinder override
NTM620	Touchscreen	
NTM635	Pushbutton	Deadbolt without cylinder override
NTM645	Touchscreen	
NTM615	Pushbutton	Deadbolt with Cylinder override
NTM625	Touchscreen	



Trim

	
Arcadia ARR	Augusta AUR
	
Carmel CRR	Jefferson JNR
	
Monroe MOR	Pacific Beach PBR
	
Pinehurst PNR	Virginia VIR

*Full line of Reflections® decorative levers also available, see page 3.



Affinity® Multi-Family Access Locks

Yale® Affinity® (RFID) Smart Card Locks combine the latest Radio Frequency Identification technology with a flexible electronic locking system, perfect for Multi-Family, Apartment or Condominium Housing. Designed with ease of use and resident security in mind, Yale brings contactless identification electronic locking to the multi-family housing market.

Combined with VISION by VingCard® software, Affinity is a full-featured, functionally rich access control system with the power, flexibility and ease of use to meet the operating needs of any multi-family property both now and in the future.



FEATURES

Electronic Elements

- Stand alone electronic lock with smart RFID technology
- Future re-programmable FLASH RAM lock memory
- 600 event audit trail
- VISION by VingCard® System Software
- FCC approved

Mechanical Components

- UL listed for use on fire doors
- ADA compliant
- High security mortise lockcase
- Solid brass handle with self lubricating long life bearings
- 3-point steel antifriction latch construction
- Full 1-inch throw case hardened deadbolt
- 3AA batteries – provide up to 2 years normal life time
- Simultaneous Retraction – the deadbolt and latch are automatically retracted by inside handle for easy egress in emergency situations
- Optional Passage Mode – allows Affinity to be put in passage for free access without the use of the keycard when desired
- Optional Key Override – full range of Yale® conventional, protected, and security cylinders available

Sold through:



Authorized Channel Partner
ASSA ABLOY

Installed by:



Certified Integrator
ASSA ABLOY

FUNCTIONS

Model Number	Function Description
VCAF52	Without Cylinder Override
VCAF53	With Cylinder Override

TRIM



VAU



VAR



VGH



VMO



Yale Real Living®

With an easy-to-use acrylic touchscreen or durable push button keypad, the Yale Real Living® deadbolts and levers bring wireless access to residential home security. Available with Z-Wave® Plus, Zigbee®, or Connected by August technology (Wi-Fi and Bluetooth), Yale Real Living® integrates seamlessly into a wide range of home control and security systems, making everyday living easier and safer.

- Available in either a durable acrylic touchscreen or a simple, elegant, tamper-resistant keypad
- Illuminated touchscreen and push button keypad for convenient night time access
- Voice Guidance - Tri-Linqual in English, Spanish and French
- For use on all standard non-fire rated interior and exterior doors
- Motorized tapered bolt helps align door during locking
- Available in stand-alone, Z-Wave Plus, Zigbee or Connected by August configurations
- User Entry Codes:
 - 25 Users stand-alone without wireless
 - 250 Users with Z-Wave, Zigbee or Connected by August
- Warranty – 3-year mechanical and 1-year electronics and finish when used in commercial, institutional or industrial applications

FINISHES

ANSI/BHMA Code	Finish Description	US Code
605	Polished Brass	US3
613E	Oil Rubbed Bronze Permanent	US10BP
619	Satin Nickel Plated, Clear Coated	US15

DEADBOLTS



Touchscreen Exterior



Push Button Exterior



Key Free Exterior



Interior

LEVER LOCKS



Touchscreen Exterior



Push Button Exterior



Interior



Yale Real Living® B1L and T1L

Lose Your Keys. For Good.™

Eliminate the keyway, eliminate the hassle. Key Free design means improved security without ever having to re-key the lock!

Yale Real Living Key Free Push Button B1L and Key Free Touchscreen T1L deadbolts add critical product options to a growing customer demand for enhanced security with a sleek aesthetic and uncomplicated operation.

- Z-Wave® enabled, as part of a home control or home security system*
- Smallest residential keypad to enhance curb appeal
- Fast Z-Wave® enrollment with the push of a button
- Universal enter and program symbols for ease-of-use
- Enhanced interior design to reduce complexity and installation time

*Z-Wave Radio Module Standard Device may also be operated Stand alone

The Features You Need with the Quality You Expect.

- Motorized tapered deadbolt
- Fully gasketed installation
- 4AA batteries included
- 9V battery backup
- Illuminated keypad
- Certified ANSI/BHMA Grade 2

FINISHES

ANSI/BHMA Code	Finish Description	US Code
605	Polished Brass	US3
613e	Oil Rubbed Bronze Permanent	US10BP
619	Satin Nickel Plated, Clear Coated	US15

DEADBOLTS



Key Free Touchscreen Deadbolt T1L with Z-Wave®



Key Free Push Button Deadbolt B1L with Z-Wave®



Key Free Touchscreen Deadbolt B1L-T1L interior



Yale Real Living® Digital Door Viewer

See who is at your door.

Enhance home security and skip the whole “Who’s there?” routine when answering the front door by installing a Yale Real Living® Digital Door Viewer to replace that old fashioned peephole. Essentially caller ID for the front door, Yale Digital Door Viewers replace a door’s standard peephole with a 3.2-inch screen to provide a clear view of who’s outside. It’s a simple way to boost home security, and especially valuable for children or those in a wheelchair who typically can’t see out a door’s peephole.



Yale offers two different digital door viewers – a Standard version and a Premium version. Both provide a live video image of who is at the door, while the Premium version records video or still images when the included doorbell is pressed and stores the images and video on an internal Micro SD memory card. Images and video can be watched on the viewer or the Micro SD card can be removed and the data accessed using a card reader. The Premium model also includes an LED to aid in night viewing.

Yale Real Living® Digital Door Viewer | Premium

Black: AYRD-DDV7001- 693

Silver: AYRD-DDV7001- 619

Dimension, Viewer

3.54 in (H) 5.39 in (W) 1.02 in (D)

- View or take clear still images or video with a 0.3 megapixel camera.
- Automatically record visitors while you’re there or away.
- The camera is armed with infrared capabilities so even in reduced lighting conditions, you’ll get a clear picture in any light.
- The Yale Digital Door Viewer is so easy to operate, it is an ideal solution for children and the elderly.
- With every push of the doorbell the Digital Door Viewer automatically records an image.
- Embedded SD memory card is removable. Let’s you store your images and videos.
- Battery operated – no need for special wiring. The Digital Door Viewer will let you know when the batteries are running low.
- 3.5" TFT (Thin Film Transistor) LCD Screen — Lets you comfortably and easily view your entrance and who ever is standing in it.



Yale Real Living® Digital Door Viewer | Standard

Silver: AYRD-DDV8032-619

Black: AYRD-DDV8032-693

Dimension, Viewer

2.67 in (H) 5.03 in (W) 0.59 in (D)

- View clear still images with a 0.3 megapixel camera.
- The Yale Digital Door Viewer is so easy to operate, it is an ideal solution for children and the elderly.
- Battery operated – no need for special wiring. The Digital Door Viewer will let you know when the batteries are running low.
- 3.5" TFT (Thin Film Transistor) LCD Screen — Lets you comfortably and easily view your entrance and whoever is standing in it.





Residential

YH COLLECTION™ INTERCONNECTED LOCKSETS

The YH Collection™ Interconnected Mechanical Locksets combine an integrated leverset with the added safety and security of a deadbolt. From the inside, both the latchbolt and the deadbolt are retracted simultaneously in a single motion for a quick and easy egress.

The YH Collection face-removable and interchangeable core design provides easy access to the cylinder without having to remove the deadbolt from the door. This is a significant benefit to multi-family projects commonly requiring re-keying.

- 3 functions, 12 lever designs and 5 finishes
- Field adjustable from 4" to 5-1/2" center to center
- 2-3/8" or 2-3/4" backset
- ANSI/BHMA A156.12 Grade 2 certified
- UL/cUL listed for 90 minute fire doors
- Available with fixed core, SFIC or LFIC cylinders
- Field reversible handing
- Three year warranty






FINISHES

ANSI/BHMA Code	Finish Description	US Code
605	Bright Brass	US3
613E	Dark Oxidized Satin Bronze	US10BE
613	Oil Rubbed Bronze Permanent	US10BP
619	Satin Nickel Plated, Clear Coated	US15
626	Satin Chrome Plated	US26D



Residential

FUNCTIONS

YR852	YR853	YR872
<p>Passage</p> <ul style="list-style-type: none"> • Single point lock. • Latchbolt is operated by either lever at all times. • Deadbolt activated by key on outside; inside by T-turn. • Interior lever retracts latch and deadbolt simultaneously. 	<p>Privacy with Deadbolt Indicator</p> <ul style="list-style-type: none"> • Single point lock. • Latchbolt is operated by either lever at all times. • Deadbolt activated by emergency key on outside; inside by T-turn. • Occupancy indicator displays "In Use" when deadbolt thrown or "Vacant" when deadbolt retracted. • Interior lever retracts latch and deadbolt simultaneously. 	<p>Entry</p> <ul style="list-style-type: none"> • Dual point lock outside. • Lever unlocks from outside by key; interior lever free egress. • Deadbolt activated by key on outside; inside by T-turn. • Interior lever retracts latch and deadbolt simultaneously. 

LEVERS

<p>ACADEMY (AC)</p> 	<p>AUGUSTA (AU) Formerly Citadel (CD)</p> 	<p>DELAWARE (DW)</p> 	<p>MARINA (MA)</p> 
<p>McCLURE (MC)</p> 	<p>MILAN (MN)</p> 	<p>MONROE (MO) Formerly Meridian (ME)</p> 	<p>NORWOOD (NW)</p> 
<p>PACIFIC BEACH (PB) Formerly Cascade (CS)</p> 	<p>WOODLAND (WL)</p> 	<p>VALDOSTA (VL)</p> 	<p>VIRGO (VG)</p> 

Roses only as shown



Residential

YH COLLECTION™

The YH Collection™ from Yale® continues a legacy of distinctive design, high manufacturing standards and demanding performance started by Linus Yale in the mid-19th century. The *YH Collection* leverages years of engineering refinement with artful execution to offer a series of ANSI/BHMA Grade 2 superior light commercial quality locks that will beautifully serve facilities for generations. They offer superior functionality such as push-button locking, removable trim for simple re-keying, and a lifetime limited finish and mechanical warranty.



- ANSI/BHMA Certified Grade 2 
- Available in 9 distinctive finishes
- Easy install mounting system – square spindle simplifies installation - knobs, levers
- Pre-installed mounting screws
- Concealed mounting screws – clean upgraded look
- Available KW-1, SC-1 keyway
E1R (Para) keyway available for deadbolts and levers only
- Push button locking – panic-free egress
- Solid brass key cylinder and housing
- Removable lever/knob and rosettes – allows for easy scratch-free installation
- Front removable deadbolt cylinder – premier series
- Heavy-duty shroud – added anti-pry security
- Four-wound spring chassis – heavy-duty feel, eliminates lever sag
- Warranty - 3-year mechanical and 1-year finish when used in commercial, institutional or industrial applications

FINISHES

ANSI/ BHMA Code	Finish Description	US Code	Finish Code	Description
605	Bright Brass	US3	GM	Gun Metal
609	Satin Brass, Blackened, Satin Relieved, Clear Coated	US5	TB	Textured Black
613E	Dark Oxidized Satin Bronze	US10BE		
	Oil Rubbed Bronze Permanent	US10BP		
619	Satin Nickel Plated, Clear Coated	US15		
620	Satin Nickel Plated, Blackened, Satin Relieved, Clear Coated	US15A		
625	Bright Chrome Plated	US26		
626	Satin Chrome Plated	US26D		




Product Finish Availability

YH Collection™		605 (US3)	625 (US26)	626 (US26D)	613e (US10BE)	10BP	609 (US5)	619 (US15)	620 (US15A)	GM	TB
Knobs	Bridgeport	•	•	•				•			
	Cambridge	•	•	•	•	•	•	•	•	•	•
	Dartmouth	•			•	•		•		•	
	Oxford	•				•	•	•			•
Levers	Academy			•			•	•			
	Augusta	•		•	•	•	•	•			
	Delaware		•	•	•	•		•			
	Kincaid	•		•		•		•			
	Marina		•	•	•	•		•		•	
	McClure	•		•	•	•		•	•		
	Milan	•	•	•				•			
	Monroe	•		•	•			•			
	Norwood		•	•	•	•	•	•	•	•	•
	Pacific Beach	•	•	•			•	•			
	Valdosta		•	•	•	•		•			
Virgo	•	•	•	•		•	•				
Deadbolts	Premier Sing Cyl	•	•	•		•	•	•	•	•	
	Select Sing Cyl	•	•	•	•	•	•	•	•	•	
	Select Double Cyl	•	•	•	•	•	•	•	•	•	•
	Select One Sided with Plate	•	•	•			•	•	•	•	•
Roses	Oval	•				•		•			
	Round		•			•		•			
	Square		•			•		•			
	Traditional	•				•		•			


*Check current Yale Residential Price Book for complete listing of product function and the availability in each finish listed above.

¹Victoria available in 605 (US3) with PVD coating, specify 605e.










KNOB DESIGNS



OPTIONAL ROSETTES FOR KNOBS AND LEVERS



Lever Designs

<p>ACADEMY (AC)</p> 	<p>AUGUSTA (AU) Formerly Citadel (CD)</p> 	<p>DELAWARE (DW)</p> 	<p>KINCAID (KC)</p> 	<p>MARINA (MA)</p> 
<p>McCLURE (MC)</p> 	<p>MILAN (MN)</p> 	<p>MONROE (MO) Formerly Meridian (ME)</p> 	<p>NORWOOD (NW)</p> 	<p>PACIFIC BEACH (PB) Formerly Cascade (CS)</p> 
<p>WOODLAND (WL)</p> 	<p>VALDOSTA (VL)</p> 	<p>VIRGO (VG)</p> 		

Deadbolt Designs

<p>82 Premier Single Cylinder</p> 	<p>83 Select Single Cylinder</p> 	<p>85 Select Double Cylinder</p> 
--	---	--




Residential

NEW TRADITIONS®

New Traditions® from Yale® offers outstanding strength, durability and simple, elegant designs highlighted by natural curves for comfort and ease of turning. All *New Traditions* products are built on a steel ANSI/BHMA Grade 3 chassis and feature concealed holding screws and solid brass cylinder assemblies. In addition, all *New Traditions* products feature Quick-Install™, a unique chassis design, which drastically reduces installation time.



Note: *New Traditions* are not for use with commercial hollow metal doors.

- ANSI/BHMA Certified Grade 3 
- Available in 9 distinctive finishes
- Quick install mounting system – knobs
- Pre-installed mounting screws – knobs
- Concealed mounting screws – clean upgraded look
- Available KW-1, SC-1 keyway
E1R (Para) keyway available for deadbolts and levers only
- Removable lever/knob and rosettes – allows for easy scratch-free installation
- Warranty – 3-year mechanical and 1-year finish when used in commercial, institutional or industrial applications

FINISHES

ANSI/ BHMA Code	Finish Description	US Code
605	Bright Brass	US3
609	Satin Brass, Blackened, Satin Relieved, Clear Coated	US5
613E	Dark Oxidized Satin Bronze	US10BE
	Oil Rubbed Bronze Permanent	US10BP
619	Satin Nickel Plated, Clear Coated	US15
620	Satin Nickel Plated, Blackened, Satin Relieved, Clear Coated	US15A
625	Bright Chrome Plated	US26
626	Satin Chrome Plated	US26D

Finish Code	Description
GM	Gun Metal
TB	Textured Black


PRODUCT FINISH AVAILABILITY*

New Traditions®		605 (US3)	625 (US26)	626 (US26D)	613e (US10BE)	10BP	609 (US5)	619 (US15)	620 (US15A)	GM	TB
Knobs	Cirrus	•	•	•	•	•	•	•	•	•	•
	Horizon	•	•	•	•	•	•	•	•	•	•
	Oasis					•	•				
	Terra					•	•			•	
	Valley	•		•							
Levers	Mesa			•	•		•	•			
	Niagara	•	•	•	•	•	•	•	•	•	•
	Prairie		•	•			•	•			
	Savannah	•	•	•	•	•	•	•	•	•	•
	Woodland	•	•	•	•	•	•	•	•	•	•
Deadbolts	810 Dummy	•	•	•			•	•	•		
	820 Single Cyl	•	•	•	•	•	•	•	•	•	•
	840 Double Cyl	•	•	•	•	•	•	•	•	•	•
	860 One Sided w/plate	•	•	•	•	•	•	•	•	•	•
	880 One Way	•	•	•	•	•	•	•	•	•	•


* Check current Yale Residential Price Book for complete listing of product function and the availability in each finish listed above.



Knob Designs



Lever Designs



Deadbolt Designs





Residential

DECORATIVE HANDLESETS

Our decorative handlesets combine elegance with ease of installation. These designs offer balanced torque springs on a split-hub for ease of opening, solid thumb pieces, and finishes utilizing the world's most advanced clear coat technology. Designed to fit most American-made doors, each handleset comes with easy-to-read installation instructions.

FINISHES


ANSI/ BHMA Code	Finish Description	US Code
605	Bright Brass	US3
609	Satin Brass, Blackened, Satin Relieved, Clear Coated	US5
613E	Dark Oxidized Satin Bronze	US10BE
	Oil Rubbed Bronze Permanent	US10BP
619	Satin Nickel Plated, Clear Coated	US15
620	Satin Nickel Plated, Blackened, Satin Relieved, Clear Coated	US15A
625	Bright Chrome Plated	US26
626	Satin Chrome Plated	US26D

Finish Code	Description
GM	Gun Metal
TB	Textured Black

PRODUCT FINISH AVAILABILITY*

Decorative Handlesets	605 (US3)	625 (US26)	626 (US26D)	613e (US10BE)	US10BP	609 (US5)	619 (US15)	620 (US15A)	GM	TB
Fairfield	•			•	•		•			
Homestead	•	•	•	•	•	•	•	•	•	•
Jamestown	•	•	•	•	•	•	•	•	•	•
McKinley	•	•	•	•	•	•	•	•	•	•
Teton					•		•	•	•	
Rainier		•	•		•		•	•	•	•

Handleset Designs





Residential

DESIGNER HANDLESETS

The Acclaim, Ovation and Pedestal handlesets provide the feel of quality in solid brass, making an impressive first statement for your customers' homes. These styles are also available in non-interconnected. High style and design matches interior rosettes for eloquent and balanced design throughout the home.

FINISHES

ANSI/ BHMA Code	Finish Description	US Code
613		US10B
619	Satin Nickel Plated, Clear Coated	US15

PRODUCT FINISH AVAILABILITY*

Decorative Handlesets		613 (US10B)	619 (US15)
Acclaim	Dummy	•	•
	Single Cyl Non-Interconnected	•	•
Pedestal	Dummy	•	•
	Single Cyl Interconnected	•	•
	Single Cyl Non-Interconnected	•	•

Handleset Designs

Pedestal with Demi Round Interior*



Note: Interconnected or Non-Interconnected options available in one piece handleset

* Knob shipped as shown



Residential

YALE EDGE SERIES®

Yale *Edge Series* offers attractive designs and finishes to meet the needs of today's housing market. All Yale *Edge Series* product is constructed to meet Grade 3 standards. Designed to fulfill the needs of the hardware market in attractive styles and current popular finishes. Whether your project includes townhomes, condos, garden homes, or a single family home, look no further than Yale *Edge Series* to fulfill your door hardware needs with the Yale brand.



Note: Yale *Edge Series* products are not for use with commercial hollow metal doors.

- Designed to meet ANSI/BHMA Grade 3
- Available in 4 distinctive finishes
- Removable cylinder for quick and easy re-keying that requires no special tools
- Non-handed levers
- Solid brass key cylinder
- Warranty – 3-year mechanical and 1-year finish when used in commercial, institutional or industrial applications

FINISHES

ANSI/BHMA Code	Finish Description	US Code
605	Bright Brass	US3
613e	Dark Oxidized Satin Bronze, Permanent	US10BP
619	Satin Nickel Plated, Clear Coated	US15
630	Satin Stainless Steel	US32D

PRODUCT FINISH AVAILABILITY*

Edge Series®		605 (US3)	613e (US10BP)	619 (US15)	630 (US32D)
Knobs	Athens	•	•		•
	Sinclair		•	•	
Levers	Alpharetta	•	•	•	
	Keowee		•	•	
Deadbolts	820 Single Cyl	•	•	•	•
Handlesets	Lenoir	•	•	•	
Pocket Door			•	•	

* Check current Yale Residential Price Book for complete listing of product function and the availability in each finish listed above.

Knob Designs

**Athens
(AT)**



**Sinclair
(SN)**



Lever Designs

**Alpharetta
(AL)**



**Keowee
(KW)**




**Seabrook
(SB)**



Deadbolt Designs

**820
Single Cylinder**




Handleset Designs

**Lenoir
(LN)**



Pocket Door Locks

Privacy



Passage





Residential Functions

Function/ Application	Sample Illustration	YH COLLECTION™			NEW TRADITIONS®		YE SERIES®	
		Lever	Knob	Entry	Lever	Knob	Lever	Knob
Locksets								
Dummy		81	80		81	80	81	80
Passage		11	10		101	100	11	10
One Sided w/Plate		61	60		161	160	N/A	N/A
Privacy		21	20		201	200	21,23	20
Bathroom		22	26		221	226	N/A	N/A
Entry		71 (Lever/ Lever)	70	73 lever/ lever 74LC lever/lever	701 (Knob/ Lever) 771 (Lever/ Lever)	700	71,73	70
Classroom		76	75		N/A	N/A	N/A	N/A
Storeroom		76	78		N/A	780	N/A	N/A



Residential Functions

Function/ Application	Sample Illustration	YH COLLECTION™		NEW TRADITIONS®		YE SERIES®	
		Lever	Knob	Lever	Knob	Lever	Knob
Locksets - Interconnected							
Single Locking		851	850	851	850	N/A	N/A
Double Locking		871	870	871	870	N/A	N/A
Handlesets - Interconnected (Interior pack – style and handing must be specified.)							
Single Locking		651	650	651	650	N/A	N/A
Deadbolts							
Dummy		N/A		810	N/A		
Single Cylinder		82 Premier 83 Select		820	82		
Double Cylinder		84 Premier 85 Select		840	N/A		
One Sided w/Plate		87 Select		860	N/A		
One Way		N/A		880	N/A		
Handlesets - Non-Interconnected (Interior pack – style and handing must be specified.)							
Dummy		983 984 986 987	983 (V) 984 (F) 986 (H) 987(J)	681 682 683	681 (T) 682 (M) 683 (R)	N/A	N/A
Single Cylinder		923 924 926 927	923 (V) 924 (F) 926 (H) 927 (J)	621 622 623	621 (T) 622 (M) 623 (R)	927	927
Double Cylinder		944 946 947	944 (F) 946 (H) 947 (J)	641 642 643	642 (M) 643 (R)	N/A	N/A



Notes



Contact Us

U.S.A.

Yale Locks & Hardware

Address: 225 Episcopal Road
Berlin, CT 06037-4004
Tel: 1-800-438-1951
Fax: 1-800-338-0965
yalelocks.com

Canada:

ASSA ABLOY Door Security Solutions Canada

Address: 160 Four Valley Drive
Vaughan, Ontario L4K 4T9
Tel: 1-800-461-3007
Fax: 1-800-461-8989
assaabloy.ca

International:

ASSA ABLOY Americas International

Tel: 1-905-821-7775
Fax: 1-905-821-1429
assaabloyai.com

Yale Commercial is a business associated with ASSA ABLOY Access and Egress Hardware Group, Inc., an ASSA ABLOY Group company. Copyright © 1999-2018, ASSA ABLOY Access and Egress Hardware Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Access and Egress Hardware Group, Inc. is prohibited. Patent pending and/or patent www.assaabloydss.com/patents.

YALE, with its unique global reach and range of products, is the world's favorite lock.

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

42027-10/18